

metics as a flavoring agent, and as a fragrance. Methyl paraben, is an ester of p-hydroxybenzoic acid and a fine crystalline powder and is used to prevent fungal growth and to preserve formula. 2-amino cis cyclopentane carboxylic acid is sensory properties to the formulation and good organic photoprotective filters. It was found that liquid foundation makeup samples have positive and negative effects of using daily.

ACKNOWLEDGEMENT

The author would like to acknowledge Rector Dr Thida Win, University of Mandalay and Professor Dr Yi Yi Myint, Head of Department, Department of Chemistry, University of Mandalay, for their allowing to carry out the research program and valuable suggestions.

REFERENCES

- [1.] Kulikov. E., " Spectroscopic Analysis and Characterisation of Cosmetic Powders", Thesis book for the degree of Doctor of Philosophy, RMIT University, 2013.
- [2.] Blake, et.al., "Application of the photocatalytic Chemistry of TiO₂ to Disinfection and the Killng of Cancer Cells". Separation and Purification Methods; vol 28 (1) p.1-50, 1999.
- [3.] Web site: Cosmetics and Your Health – FAQs. Womenshealth.gov. November 2004. bot: unknown. <https://web.archive.org/web/20130312162359/http://www.womenshealth.gov/publications/our-publications/fact-sheet/cosmetics-your-health>. cfm. 2013.
- [4.] <https://www.wisegeek.com/what-are-the-different-types-of-makeup>
- [5.] <https://www.natural-solter-cosmetics.com/manufacturing-of-cosmetic-products>
- [6.] <http://lifestyle.ilovindia.com/lounge/types-of-cosmetics-10222>.
- [7.] <http://chemists-corner.com/cosmetic-formulation-basics-foundation>.

IEEESEM