







































43. Brown, D. E., Rashotte, A. M., Murphy, A. S., Normanly, J., Tague, B. W., Peer, W. A., ... Muday, G. K. (2001). Flavonoids act as negative regulators of auxin transport in vivo in arabidopsis. *Plant physiology*, 126(2), 524–535. doi:10.1104/pp.126.2.524
44. Buer CS, Imin N, Djordjevic MA. (2010) Flavonoids: new roles for old molecules. *J Integr Plant Biol* 52: 98–111
45. Peer WA, Blakeslee JJ, Yang H, Murphy AS. Seven things we think we know about auxin transport. *Mol Plant*. 2011;4(3):487–504
46. Kalpana Platel & Krishnapura Srinivasan(2016) Bioavailability of Micronutrients from Plant Foods: An Update, *Critical Reviews in Food Science and Nutrition*, 56:10, 1608-1619, DOI: 10.1080/10408398.2013.781011
47. Lorenz K (1980) Cereal sprouts: composition, nutritive value, food applications. *Crit Rev Food Sci Nutr* 13:353–385
48. Kasote DM, Katyare SS, Hegde MV, Bae H (2015) Significance of antioxidant potential of plants and its relevance to therapeutic applications. *Int J Biol Sci* 982
49. Pandey KB, Rizvi SI. Plant polyphenols as dietary antioxidants in human health and disease. *Oxid Med Cell Longev*. 2009;2:270–8.
50. Usha, T., Middha, S. K., Bhattacharya, M., Lokesh, P., & Goyal, A. K. (2014). Rosmarinic Acid, a New Polyphenol from *Baccaurea ramiflora* Lour. Leaf: A Probable Compound for Its Anti-Inflammatory Activity. *Antioxidants Basel, Switzerland*, 3(4), 830–842.
51. Lopez HW, Leenhardt F, Coudray C, Remesy C (2002) Minerals and phytic acid interactions: is it a real problem for human nutrition? *International Journal of Food Science & Technology*. 37(7), 727-739.
52. Reason, D A, Watts, M J, and Devez, A.(2015). Quantification of phytic acid in grains. *British Geological Survey Technical Report*, 15-50
53. Shallan M A, El-Beltagi HS, Mouna A, Alvera T (2010) Chemical evaluation of Pre-germinated Brown Rice and Whole Grain Rice Bread. *Electronic Journal of Environmental, Agricultural & Food Chemistry*, 9(1), 958-971
54. Kumssa DB, Joy EJM, Ander EL, Watts MJ, Young SD, Rosanoff A White PJ, Walker S, Broadley MR. (2015a) Global magnesium (Mg) supply in the food chain. *Crop and Pasture Science*, 66, 1278-1289.
55. Luo YW, Gu ZX, Han YH, Chen ZG (2009) The impact of processing on phytic acid, in vitro soluble iron and Phy/Fe molar ratio of faba bean (*Vicia faba L.*). *J Sci Food Agric* 89:861–866.
56. O'Dell, B.L. 1972. Dietary factors that affect biological availability of trace elements. *Ann. N. Y. Acad. Sci.* 199:70–81.
57. Lorenz K (1980) Cereal sprouts: composition, nutritive value, food applications. *Crit Rev Food Sci Nutr* 13:353–385
58. Ch'ng H. Y. Ahmed, O., Majid, N.(2014) Improving Phosphorus Availability in an Acid Soil Using Organic Amendments Produced from Agroindustrial Wastes *The Scientific World Journal* 10, 11-55
59. Gujral *et al.*, 2012 Gujral HS, Sharma P, Kumar A, Singh B (2012) Total phenolic content and antioxidant activity of extruded brown rice. *International Journal of Food Properties*. 15(2), 301-311.
60. P. Smithson, (1999) "Special issue on phosphorus availability, uptake and cycling in tropical agroforestry," *Agroforestry Forum*, vol. 9, no. 4, pp. 37–40.