

- International Journal of Operational Research*, 7(19):152-170.
- [158]Müller, T. (2005). Constraint-based Timetabling; *Unpublished Ph.D. Thesis*, Charles University in Prague
- [159]Myszkowski, P. and Norberciak, M. (2003). *Evolutionary Algorithms for Timetable Problems*. Annales UMCS, Sectio Informatica, vol. I, Lublin
- [160]Nemhauser, G. L. and Wolsey, L. A. (1988). *Integer and combinatorial optimization*. New York, USA: Wiley,
- [161]Neufeld, G and Tartar, J. (1974). Graph colouring conditions for the existence of solutions to the timetable problem. *Communications of the ACM*, 17(8), 450–453.
- [162]Nurmi, K. and Kyngas, J. (2007). A framework for school timetabling problem. *Proceedings of 3rd Multidisciplinary International Scheduling Conference: Theory and Application*, Paris, France, (pp. 386-393).
- [163]Nurmi, K. & Kyngas, J. (2008) A Conversion Scheme for Turning a Curriculum Based Timetabling Problem into a School Timetabling Problem. *Proceedings of the 7th International Conference on the Practice and Theory of Automated Timetabling (PATAT 2008)*, Montreal
- [164]Odeniyi, O. A. (2014). A modified simulated annealing approach for school timetabling. *Unpublished M. Tech Thesis*, LAUTECH, Ogbomoso
- [165]Odeniyi, O. A., Omidiora, E. O., Olabiyisi, S. O. & Aluko, J. O. (2015): Development of a modified simulated annealing to school timetabling problem. *International Journal of Applied Information Systems (IJ AIS)*, 8(2), 16-24.
- [166]Ohtsubo, M., Kurashige, K., & Kameyama, Y. (2006), Approach to the Timetabling Problems for Junior High Schools. *Journal of Japan Industrial Management Association*, 57(3), 231–242.
- [167]Ostermann, R. and de Werra, D. (1982). Some experiments with a timetabling system. *OR Spectrum*, 3(4):199-204.
- [168]Oyeleye, C. A., Olabiyisi, S. O., Omidiora, E. O., & Fagbola, T. (2014). Hybrid Metaheuristic of simulated Annealing and Genetic Algorithm for Solving Examination Timetabling Problem. *International Journal of Computer Science and Engineering (IJCSE)*, 3(5), 7-22.
- [169]Papoulias, D. (1980). The assignment-to-days problem in a school time-table, a heuristic approach. *European Journal of Operational Research*, 4(1), 31–41.
- [170]Papoutsis, K., Valouxis, C., & Housos, E. (2003). A column generation approach for the timetabling problem of Greek high schools. *Journal of Operational Research Society*, 54(3), 230–238.
- [171]Pelikan, M., Goldberg, D. E., & Lobo, F. G. (2000). A survey of optimization by building and using probabilistic models. *Computational Optimization and Applications*, 2, 15–20.
- [172]Pelikan, M., Sastry, M., & Cantu-Paz, E. (2006) (Editors). *Scalable Optimization via Probabilistic Modelling: From Algorithms to Applications*. Springer
- [173]Petrovic, S. and Burke, E.K. (2004). University Timetabling. In J. Y-T Leung (Editor.), *Handbook of Scheduling: Algorithms, Models and Performance Analysis* (Chapter 45) CRC Press.
- [174]Pillay, N (2010)..A study into the use of hyper-heuristics to solve the school timetabling problem. In *Proceedings of the 2010 Annual Research Conference of the South African Institute of Computer Scientists and Information Technologists (SAICSIT 2010)*, ACM, (pp. 258–264).
- [175]Pillay, N. (2011a). A hyper-heuristic approach to solving school timetabling problems. *Proceedings of Multidisciplinary International Conference on Scheduling: Theory and Applications, (MISTA 2011)*, Phoenix, Arizona, (pp. 628-632).
- [176]Pillay, N. (2011b) Evolving Heuristics for the School Timetabling Problem. In *proceedings of the 2011 IEEE Conference on Intelligent Computing and Intelligent Systems (ICIS011)*, (Vol. 3, pp. 281-286).
- [177]Pillay, N. (2012). Hyper-heuristics for educational timetabling. In *Proceedings of the Ninth International Conference on the Practice and Theory of Automated Timetabling (PATAT 2012)*, Son, Norway, 28–31 August 2012, (pp. 316–340).
- [178]Pillay, N. (2013). A Comparative Study of Hyper-Heuristics for Solving the School Timetabling Problem, *Proceedings of the South African Institute for Computer Scientists and Information Technologists Conference, (SAICSIT'13)*, (pp. 278-285).
- [179]Pillay, N. (2014). A Survey of School Timetabling Research. *Annals of Operations Research*, 218(1), 261-293
- [180]Pillay, N. and Raghavjee, R. (2015). A genetic algorithm selection perturbative hyper-heuristic for solving the school timetabling problem. *ORiON*31(1), 39-60.
- [181]Post, G. F. and Ruizenaar, H. W. A. (2004), Clusterschemes in Dutch Secondary Schools. Memorandum 1707, Department of Applied Mathematics, University of Twente, Enschede
- [182]Post, G., Ahmadi, S., & Geertsema, F. (2010), Cyclic transfers in school timetabling. *OR Spectrum*. doi:10.1007/s00291-010-0227-y.
- [183]Post, G., Ahmadi, S., & Geertsema, F. (2012). Cyclic transfers in school timetabling. *OR Spectrum*, 34(1), 133-154.
- [184]Post, G., Di Gaspero, L., Kingston, J. H., Mccollum, B. & Schaerf, A. (2013). The Third International Timetabling Competition. *Annals of Operations Research*, 1–7.
- [185]Poulsen, C. J. B. P. and Bandeira, D. L. (2013) A heuristic efficient based on the strategy of division-e conquest for

- School Timetabling Problem. In: Simposio Brasileiro De Pesquisa Operacional. 45 Anais... Natal, Brazil: Sociedade Brasileira de Pesquisa Operacional (pp. 812–823).
- [186]Pimmer, M.& Raidl, G. R. (2013).A timeslot-filling heuristic approach to construct high-school timetables. In Di Gaspero *et al.*(Editors), *Advances in Metaheuristics. Operations Research/Computer Science Interfaces Series*, 53, 143-157
- [187]Puchinger, J. and Raidl, G. (2005). Combining metaheuristics and exact algorithms in combinatorial optimization: A survey and classification. *Lecture Notes in Computer Science*, 3562, 41–53.
- [188]Qu, R., Burke, E. K., McCollum, B., Merlot, L.T.G.& Lee, S.Y. (2009). A survey of search methodologies and automated system development for examination timetabling, *Journal of Scheduling*, 12(1), 55-89.
- [189]Raidl, G. (2006). A unified view on hybrid metaheuristics. In: F. Almeida *et al.* (Editors), *Hybrid Metaheuristics. Berlin, Germany: Springer Berlin Heidelberg. Lecture Notes in Computer Science*, 4030, 1–12.
- [190]Raghavjee, R. and Pillay, N. (2008).An application of genetic algorithms to the school timetabling problem. *Proceedings of SAICSIT*, New York, (pp. 193–199).
- [191]Raghavjee, R., and Pillay, N. (2009).Evolving solutions to the school timetabling problem. In *Proceedings of the world congress on nature and biologically inspired computing (NaBIC'09)* (pp. 1524–1527). New York: IEEE Press.
- [192]Raghavjee, R., & Pillay, N. (2010a). An informed genetic algorithm for the highschool timetabling problem. In *Proceedings of SAICSIT 2010: fountains of computing research* (pp. 408–412). New York: ACM.
- [193]Raghavjee, R., & Pillay, N. (2010b). Using genetic algorithms to solve the South African school timetabling problem. In *Proceedings of the world congress on nature and biologically inspired computing(NaBIC'10)*. New York: IEEE Press.
- [194]Raghavjee, R. & Pillay, N. (2012). A comparison of genetic algorithms and genetic programming in solving the school timetabling problem. In *Proceedings of Fourth World Congress on Nature and Biologically Inspired Computing (NaBIC 2012)*,(pp. 98–103).IEEE Press.
- [195]Raghavjee, R. (2013). A Study of Genetic Algorithms for Solving the School Timetabling Problem; *Unpublished M.Sc. Dissertation*, University of Kwazulu-Natal, Pietermaritzburg.
- [196]Raghavjee, R. and Pillay, N. (2013).A study of genetic algorithms to solve the school timetabling problem. In Castro *et al.*. (Editors), *Advances in Soft Computing and Its Applications*. Springer Berlin Heidelberg: Berlin, Germany, (pp. 64–80).
- [197]Raghavjee, R. and Pillay, N. (2015).A genetic algorithm selection perturbative hyperheuristic for solving the school timetabling problem. *Orion*, 31(1): 39-60.
- [198]Ribic, S., and Konjicija, S. (2010).A two phase integer programming approach to solving the school timetabling problem. In *Proceedings of the international conference on information technology interfaces(ITI)* (No. 5546473, pp. 651–656).
- [199]Ross, P., Marin, J. G. & Hart, E. (2004).Hyper-heuristics applied to class and exam timetabling problems. In *IEEE Congress on Evolutionary Computation*, IEEE Press: New York, (pp 1691–1698).
- [200]Ross, P.and Marin J. G (2005).Constructive hyper-heuristics in class timetabling. In *IEEE Congress on Evolutionary Computation*, IEEE: New York, (pp. 1493–1500).
- [201]Rossi, F., van Beek, P. & Walsh, T. (2006),*Handbook of Constraint Programming*.Elsevier Science. ISBN 9780444527264.
- [202]Saini, N. (2017). Review of Selection Methods in Genetic Algorithms.*International Journal of Engineering and Computer Science*.6(12), 22261-22263.
- [203]Santos, H. G., Ochi, L. S., & Souza, M. J. F. (2004).An efficient tabu search heuristic for the school timetabling problem. *Lecture Notes in Computer Science*, 3059, 468–481.
- [204]Santos, H., Ochi, L. & Souza, M. (2005).A tabu search heuristic with efficient diversification strategies for the class/teacher timetabling problem. *Journal of Experimental Algorithms*, 10, 2–9.
- [205]Santos, H. G., Uchoa, E., Ochi, L. S., & Maculan, N. (2008).Strong bounds with cut and column generation forclass-teacher timetabling. In *Proceedings of the 7th international conference on the practiceand theory of automated timetabling (PATAT 2008)*, Montreal.
- [206]Santos, H., Uchoa, E., Ochi, L., & Maculan, N. (2012a). Strong bounds with cut and column generation for class teacher timetabling. *Annals of Operations Research*,194 (1), 399–412.
- [207]Santos, H. G., Toffolo, T. A. M., Brito, S. S., Souza, M. J. F. & Fonseca, G. H. G. (2012b). A SA-ILS approach for the high school timetabling problem. *Proceedings of the Ninth International Conference on the Practice and Theory of Automated Timetabling (PATAT 2012)*, Son, Norway.
- [208]Saviniec, L. and Constantino, A. (2012).Applying ILS Algorithm with a new neighborhood operator to solve a large benchmark of the high school timetabling problem. Pre-anais: XVI CLAIO – XLIV, Simpósio Brasileiro de Pesquisa Operacional (SBPO) - LIA-SGT, Rio de Janeiro.

- [209]Saviniec, L., Constantino, A. A., Romao, W. & Santos, H. G. (2013). Solving the high school timetabling problem to optimality using ILS Algorithms. *Simpósio Brasileiro de Pesquisa Operacional: XVI CLAIO – XLIV SBPO - LIA-SGT*.
- [210]Schaerf, A. (1996). Tabu search techniques for large high school timetabling problems. *Proceedings of 13th National Conference on Artificial Intelligence (AAAI-96)*, Portland, USA, (pp. 363-368)
- [211]Schaerf, A. (1999a), A survey of automated timetabling. *Artificial Intelligence Review*, 13(2), 87–127.
- [212]Schaerf, A. (1999b), Local search methods for high school timetabling problems. *IEEE Transactions on Systems, Man and Cybernetics*, 29(4), 377–386.
- [213]Schmidt, G. and Ströhlein, T. (1979). Timetable construction – an annotated bibliography. *Computer Journal*, 23(4), 307-316.
- [214]Shambour, M.K.Y., Khader, A.T., Kheiri, A. & Ozcan, E. (2013). A two stage approach for high school timetabling. In Lee et al.. (Editors), *Neural Information Processing*. Springer Berlin Heidelberg. *Lecture Notes in Computer Science*, 8226, 66–73.
- [215]Slechta, P. (2005). Decomposition and parallelization of multi-resource timetabling problem. In E. Burke and M. Trick (Editors), *Lecture Notes in Computer Science*, 3616, 177–189.
- [216]Srđic, N., Dervisevic, M., Pandzo, E., & Konjicija, S. (2009). The application of a parallel genetic algorithm to timetabling of elementary school classes: a coarse grained approach. In *Proceedings of ICAT 2009–2009 22nd International Symposium on Information, Communication and Automation Technologies* (pp.1–5). New York: IEEE Press.
- [217]Smith, K. A., Palaniswami, M. & Krishnamoorthy, M. (1998). Neural Techniques for Combinatorial Optimization with Applications. *IEEE Transactions on Neural Networks*, 9(6), 1301-1318.
- [218]Smith, K. A., Abramson, D. & Duke, D. (2003). Hopfield neural networks for timetabling: Formulations, methods, and comparative results. *Computers and Industrial Engineering*, 44, 283–305.
- [219]Socha, K. Knowles, J. & Samples, M. (2002). A max-min ant system for the university course timetabling problem. *Lecture Notes in Computer Science*, 2463, 1-13.
- [220]Solotorevsky, G., Gudes, E. & Meisel, A. (1994). RAPS: A Rule-Based Language Specifying Resource Allocation and Timetabling Problems. *IEEE Transaction on Knowledge and Data Engineering*, 6(5), 681–697.
- [221]Sorensen, M., Kristiansen, S. & Stidsen, T. R. (2012). International timetabling competition 2011: An adaptive large neighborhood search algorithm. In *Proceedings of the Ninth International Conference on the Practice and Theory of Automated Timetabling (PATAT 2012)*, SINTEF, 2012, (pp. 489-492).
- [222]Sørensen, M. (2013). Decomposing the generalized high school timetabling problem. In *Timetabling at High Schools, PhD thesis*, (pp. 119–136). Department of Management Engineering, Technical University of Denmark
- [223]Sorensen, Mand Stidsen, T. R (2013). Integer programming and adaptive large neighborhood search for real world instances of high school timetabling (PATAT 2012). *Annals of Operations Research*, SI: Submitted Jan 21
- [224]Sorensen, M. and Dahms, F. H. W. (2014). A two-stage decomposition of high school timetabling applied to cases in Denmark. *Computers & Operations Research*, 43, 36-49.
- [225]Sorensen, M. and Stidsen, T. R. (2014). Hybridizing Integer Programming and Metaheuristics for Solving High School Timetabling In *Proceedings of the 10th International Conference on the Practice and Theory of Automated Timetabling*, (pp. 557- 560).
- [226]Sorensen, K. and Springael, J. (2014). Progressive multi-objective optimization. *International Journal of Information Technology & Decision Making*, 13(5), 917–936.
- [227]Souza, M., Maculan, N. & L. Ochi, L. (2003). A GRASP-TABU Search algorithm for school timetabling problems. In M. Resende and J. de Sousa (Editors), *Metaheuristics: Computer Decision-Making*, (pp. 659-672). Kluwer Academic Publishers.
- [228]Souza, M. J. F. (2004). A GRASP-tabu search algorithm for solving school timetabling problems. *Metaheuristics: Computer Decision-Making*, (pp. 659–672)
- [229]Sutar, S. R. and Bichkar, R. S. (2017). Parallel Genetic Algorithm for High School Timetabling. *International Journal of Computer Applications*, 170(6), 1-5.
- [230]Talbi, E.G. (2002). A Taxonomy of Hybrid Metaheuristics. *Journal of Heuristics*, 8(5), 541-564
- [231]Tassopoulos, I. X. and Beligiannis, G. N. (2012a). Solving Effectively the School Timetabling Problem Using Particle Swarm Optimization. *Expert Systems with Applications*, 39(5), 6029-6040.
- [232]Tassopoulos, I. X. and Beligiannis, G. N. (2012b). A Hybrid Particle Swarm Optimization Based Algorithm for High School Timetabling Problems. *Applied Soft Computing*, 12(11), 3472-3489.
- [233]Tassopoulos, I.X. and Beligiannis, G.N. (2012c). Using particle swarm optimization to solve effectively the school timetabling problem. *Soft Comput.* 16, 1229–1252.
- [234]Tillett, P (1975). An operations research approach to the assignment of teachers to courses. *Socio-Economic Planning*

- Sciences, Elsevier*, 9 (3), 101–104.
- [235]Tripathy A. (1984). School timetabling – a case study in large binary integer linear programming.*Management Science*, 30, 1473 -1489.
- [236]Valouxis, C. and Housos, E. (2000). Hybrid Optimization Techniques for the Workshift and Rest Assignment of Nursing Personnel.*Artificial Intelligence in Medicine*, 20(2), 155-175
- [237]Valouxis, C. and Housos, E. (2003).Constraint programming approach for school timetabling.*Computers and Operations Research*, 30(10), 1555-1572.
- [238]Valouxis, C., Gogos, C., Alefragis, P, &Housos, E. (2012).Decomposing the high school timetable problem. In *Practice and Theory of Automated Timetabling (PATAT 2012)*, Son, Norway, August 2012.
- [239]Wangmaeteekul, P. (2011) Using Distributed Agents to Create University Course Timetables Addressing Essential & Desirable Constraints and Fair Allocation of Resources; *Unpublished Ph.D. Thesis*, Durham University
- [240]Wilke, P., Grobner, M. &Oster, N. (2002).A hybrid genetic algorithm for school timetabling.In B. McKay and J. Slaney (Editors),*Advances in Artificial Intelligence (AI 2002)*.Springer Berlin / Heidelberg, *Lecture Notes in Computer Science*, 2557, 455-464.
- [241]Wilke, P. and Ostler, J. (2008). Solving the school timetabling problem using tabu search, simulated annealing, genetic and branch & bound algorithms. In *Proceedings of the 7th international conference on the practice and theory of automated timetabling (PATAT 2008)*, Montreal.
- [242]Wilke, P. and Killer, H. (2010a). A comparison of algorithms for solving school and course timetabling problems using the Erlangen advanced timetabling system. In *Proceedings of the 8th International Conference on the Practice and Theory of Automated Timetabling (PATAT 2010)* (pp. 427–439).
- [243]Wilke, P., and Killer, H. (2010b). Walk down jump up algorithm—a new hybrid algorithm for timetabling problems.In *Proceedings of the 8th International Conference on the Practice and Theory of Automated Timetabling (PATAT 2010)* (pp. 440–446).
- [244]Welsh, D.J.A. andPowell, M.B. (1967). The upper bound for the chromatic number of a graph and its application to timetabling problems. *Computer Journal*.11, 41-47.
- [245]Willemen, R. J. (2002). *School timetabling construction: algorithms and complexity*. Unpublished Phd Thesis, Technische Universiteit Eindhoven, The Netherlands.
- [246]Wood, J., and Whitaker, D. (1998).Student central school timetabling.*Journal of the Operational Research Society*, 49(11), 1146–1152.
- [247]Wright, M. (1996), School timetabling using heuristic search. *Journal of the Operational Research Society*, 47(3), 347-357.
- [248]Yang X. S. (2014). Swarm Intelligence Based Algorithms: A Critical Analysis.*Evolutionary Intelligence*, 7(1):7-28.
- [249]Yongkai, L., Defu, Z. & Leung, S. C. H. (2009). A simulated annealing algorithm with a new neighbourhood structure for the timetabling problem. *Proceedings of World Summit on Genetic and Evolutionary Computation*,(pp. 381–386).
- [250]Yoshikawa, M., Kaneko, K., Nomura, Y., & Watanabe, M. (1994). A constraint-based approach to high school timetabling problems: a case study. In *Proceedings of the twelfth National Conference on Artificial Intelligence (AAAI'94)*: (pp. 1111–1116). Menlo Park: Am. Assoc. of Artificial Intelligence.
- [251]Yoshikawa, M., Kaneko, K., Yamanouchi, T. & Watanabe, M. (1996). A constraint based high school scheduling system. *IEEE Expert*, 11(1), 63-72.
- [252]Yigit, T. (2007).Constraint-based school timetabling using hybrid genetic algorithms.*Lecture Notes in Computer Science*, 4733, 848–855.
- [253]Yuce B., Packianather, M. S., Mastrocinque, E., Pham, D. T. & Lambiase, A. (2013): Honey Bees Inspired Optimization Method.*The Bees Algorithm*, 4, 646-662
- [254]Zhang D F, Liu Y K., M'Hallah R & Leung S C H, (2010). A Simulated Annealing with a New Neighbourhood Structure Based Algorithm for High School Timetabling Problems.*European Journal of Operational Research*, 203(3), 550-558.
- [255]Zuters, J. (2007). Neural networks to enrich fitness function in a GA-based school timetabling model. *Proceedings of WSEAS transactions on information science and application* (Vol. 4(2), pp. 346–353)